POOLSPORT INC. P.O. BOX 1430, STN B WESTON, ONTARIO, M9L 2W9 CANADA (905)-850-8444

PRODUCT: NU-BLU CLARIFYING TABLETS (20 G. TABLET)

### **SECTION 01: IDENTIFICATION**

PRODUCT CODE...... PSP0022

OTHER MEANS OF IDENTIFICATION...... N.AV. RECOMMENDED USE AND ...... N.AV. N.AV.

RESTRICTIONS ON USE

SUPPLIER IDENTIFIER...... MURSATT CHEMICALS LIMITED

11 REGALCREST COURT WOODBRIDGE, ONTARIO

CANADA L4L 8P3

EMERGENCY PHONE NO...... CANUTEC (613)-996-6666.

## **SECTION 02: HAZARD IDENTIFICATION**



HAZARD CLASSIFICATION...... CORROSIVE TO METALS - CATEGORY 1 . SERIOUS EYE DAMAGE - CATEGORY 1.

SIGNAL WORD...... DANGER.

HAZARD STATEMENT...... H290 MAY BE CORROSIVE TO METALS. H318 CAUSES SERIOUS EYE DAMAGE.

CONTINUE RINSING. IMMEDIATELY CALL A POISÓN CENTER OR DOCTOR/PHYSICIAN. P390 ABSORB SPILLAGE TO PREVENT MATERIAL DAMAGE.

P406 STORE IN CORROSIVE RESISTANT CONTAINER WITH A RESISTANT INNER

CODE: PSP0022

LINER.

OTHER HAZARDS...... NONE.

SECTION 03: COMPOSITION/INFORMATION ON INGREDIENTS					
HAZARDOUS INGREDIENTS	CAS#	WT. %			

ALUMINUM SULFATE HYDRATE 16828-12-9 99

# **SECTION 04: FIRST AID MEASURES**

DESCRIPTION OF FIRST AID MEASURES:

EYE CONTACT.....

IMMEDIATELY FLUSH THE CONTAMINATED EYE(S) WITH LUKEWARM, GENTLY FLOWING WATER FOR 20 MINUTES OR UNTIL THE CHEMICAL IS REMOVED, WHILE HOLDING THE EYELID(S) OPEN. TAKE CARE NOT TO RINSE CONTAMINATED WATER INTO THE UNAFFECTED EYE OR ONTO THE FACE. OBTAIN MEDICAL

ATTENTION IMMEDIATELY.

SKIN CONTACT...... IN CASE OF CONTACT, IMMEDIATELY FLUSH SKIN WITH PLENTY OF WATER FOR

AT LEAST 15 MINUTES. GET MEDICAL ATTENTION. REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE. DO NOT TRANSPORT VICTIM UNTIL THE RECOMMENDED FLUSHING PERIOD IS COMPLETED, UNLESS FLUSHING CAN

BE CONTINUED DURING TRANSPORT.

INHALATION...... IF SYMPTOMS ARE EXPERIENCED, REMOVE SOURCE OF CONTAMINATION OR

MOVE VICTIM TO FRESH AIR. IF SYMPTOMS PERSIST, GET MEDICAL ATTENTION. IF BREATHING HAS STOPPED, TRAINED PERSONNEL SHOULD BEGIN ARTIFICIAL RESPIRATION (AR) IMMEDIATELY. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IN SITUATIONS WHERE ADMINISTERING OXYGEN IS APPROPRIATE, FIRST AIDERS

MUST BE TRAINED IN THE SAFE USE AND HANDLING OF OXYGEN. IT IS PREFERABLE TO ADMINISTER OXYGEN UNDER A DOCTOR'S SUPERVISION OR ADVICE. IF THE HEART HAS STOPPED, TRAINED PERSONNEL SHOULD BEGIN CARDIOPULMONARY RESUSCITATION (CPR) IMMEDIATELY. IMMEDIATE MEDICAL

ASSISTANCE IS REQUIRED.

# PRODUCT: NU-BLU CLARIFYING TABLETS (20 G. TABLET)

## **SECTION 04: FIRST AID MEASURES**

DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN INGESTION.....

UNCONSCIOUS OR CONVULSING PERSON. SEEK IMMEDIATE MEDICAL

ATTENTION. IF VOMITING OCCURS SPONTANEOUSLY, KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION OF LIQUID INTO THE LUNGS.

MOST IMPORTANT SYMPTOMS AND ...... SEE SECTION 11.

EFFECTS, ACUTE OR DELAYED:

INDICATION OF ANY IMMEDIATE MEDICAL TREATMENT BASED ON SOUND JUDGMENT OF PHYSICIAN AND INDIVIDUAL ATTENTION AND SPECIAL TREATMENT REACTIONS OF PATIENT.

**NEEDED** 

### SECTION 05: FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA..... UNSUITABLE EXTINGUISHING MEDIA......

SPECIAL HAZARDS ARISING FROM THE

PRODUCT:

USE EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING FIRE. NONE KNOWN.

DRY ALUM WILL DISSOLVE IN WATER TO FORM SULFURIC ACID WHICH REACTS

WITH SOME METALS, ESPECIALLY WHEN DILUTE, TO GIVE FLAMMABLE, POTENTIALLY EXPLOSIVE HYDROGEN GAS. HYDROGEN GAS CAN ACCUMULATE TO EXPLOSIVE CONCENTRATIONS INSIDE CONFINED SPACES.

OXIDES OF SULPHUR. ALUMINUM OXIDES. CORROSIVE FUMES. OXIDES OF

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS:

HAZARDOUS COMBUSTION PRODUCTS.

SULPHUR. ALUMINUM OXIDES. CORROSIVE FUMES. FIRE FIGHTERS SHOULD WEAR FULL PROTECTIVE CLOTHING, INCLUDING

SELF-CONTAINED BREATHING EQUIPMENT.

### SECTION 06: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS.....

ENVIRONMENTAL PRECAUTIONS.....

METHODS AND MATERIALS FOR . CONTAINMENT AND CLEANING UP WEAR APPROPRIATE PROTECTIVE EQUIPMENT.

PREVENT FROM ENTERING INTO SOIL, DITCHES, SEWERS, WATERWAYS AND/OR

GROUNDWATER.

PICK UP SOLIDS AND PUT IN AN APPROPRIATE SEALED CONTAINER FOR LATER DISPOSAL. NEUTRALIZE WITH LIME SLURRY, LIMESTONE, OR SODA ASH. THIS WILL GENERATE CARBON DIOXIDE, SO ADDITIONAL VENTILATION MAY BE

NECESSARY

### SECTION 07: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:....

AVOID CONTACT WITH EYES, SKIN AND CLOTHING. AVOID BREATHING IN DUST. AVOID BREATHING VAPORS, MIST, FUME OR DUST. DO NOT INGEST. USE GOOD PERSONAL HYGIENE. KEEP THE CONTAINERS CLOSED WHEN NOT IN USE. EMPTY

CONTAINERS MAY CONTAIN HAZARDOUS PRODUCT RESIDUES. GOOD HOUSEKEEPING PROCEDURES SHOULD BE FOLLOWED TO MINIMIZE DUST GENERATION AND ACCUMULATION. WHEN THERE IS A LARGE-SCALE USE, DO NOT USE IN AREAS EQUIPPED WITH SPRINKLER SYSTEMS. POST "DO NOT USE WATER" SIGNS. GOOD HOUSEKEEPING IS IMPORTANT TO PREVENT

ACCUMULATIONS OF DUST. DRY SWEEPING IS NOT RECOMMENDED. CONTACT

WITH WATER FORMS SULPHURIC ACID.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY IMCOMPATIBILITES: STORE IN A COOL, DRY, WELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED. PLACE AWAY FROM INCOMPATIBLE MATERIALS. STORE IN

ACCORDANCE WITH GOOD INDUSTRIAL PRACTICES.

## SECTION 08: EXPOSURE CONTROLS AND PERSONAL PROTECTION

	ACGIH TLV		OSHA PEL		NIOSH
INGREDIENTS	TWA	STEL	PEL		REL

**ALUMINUM SULFATE HYDRATE** 

2 MG/M3 AS ALUMINUM (SOLUBLE SALTS) N.AV.

2 MG/M3 AS ALUMINUM

(SOLUBLE SALTS)

N.AV.

N.AV.

CODE: PSP0022

APPROPRIATE ENGINEERING CONTROLS IF USER OPERATIONS GENERATE DUST, FUME OR MIST, USE VENTILATION TO KEEP EXPOSURE TO AIRBORNE CONTAMINANTS BELOW THE EXPOSURE LIMIT.

INDIVIDUAL PROTECTION MEASURE SUCH AS PERSONAL PROTECTIVE

**EQUIPMENTS:** 

HAND PROTECTION..... RESPIRATORY PROTECTION.....

NEOPRENE GLOVES. PVC GLOVES. VINYL GLOVES. RUBBER GLOVES. A NIOSH/MSHA APPROVED DUST MASK, FOR DUST CONCENTRATIONS OF UP TO 10 MG/M3. A NIOSH/MSHA APPROVED AIR-PURIFYING RESPIRATOR EQUIPPED

WITH ACID GAS/FUME, MIST CARTRIDGES FOR CONCENTRATIONS UP TO 20 MG/M3. AN AIR-SUPPLIED RESPIRATOR IF CONCENTRATIONS ARE HIGHER OR

UNKNOWN.

# PRODUCT: NU-BLU CLARIFYING TABLETS (20 G. TABLET)

## SECTION 08: EXPOSURE CONTROLS AND PERSONAL PROTECTION

CHEMICAL GOGGLES; ALSO WEAR A FACE SHIELD IF SPLASHING HAZARD EYE PROTECTION.....

**EXISTS** 

PROTECTIVE CLOTHING.....

SKIN CONTACT SHOULD BE PREVENTED THROUGH USE OF SUITABLE PROTECTIVE CLOTHING, GLOVES AND FOOTWEAR, SELECTED WITH REGARD FOR USE CONDITIONS AND EXPOSURE POTENTIAL. CONSIDERATION MUST BE

CODE: PSP0022

GIVEN BOTH TO DURABILITY AS WELL AS PERMEATION RESISTANCE.

PROTECTIVE FOOTWEAR.....

SEE ABOVE. ENSURE THAT EYEWASH STATIONS AND SAFETY SHOWERS ARE PROXIMAL TO OTHER.....

THE WORK-STATION LOCATION.

HYGIENIC PRACTICES..... USE GOOD PERSONAL HYGIENE PRACTICES. WASH HANDS BEFORE EATING,

DRINKING, OR SMOKING, OR USING TOILET FACILITIES. PROMPTLY REMOVE

CONTAMINATED CLOTHING AND WASH THOROUGHLY BEFORE REUSE.

# SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

SOLID GRANULES OR POWDER. PHYSICAL STATE.....

COLOR...... WHITE TO OFF WHITE.

ODOUR..... ODOURLESS.

ODOUR THRESHOLD

..... > 2.9 @ 5% FREEZING/MELTING POINT...... 86 °C / 186 °F

BOILING POINT..... 117°C /242.6 °F (CONDENSATION POINT).

SOLUBILITY IN WATER (% W/W)...... SOLU COEFFICIENT OF WATER/OIL DIST...... N.AV. SOLUBLE IN WATER.

AUTO IGNITION TEMPERATURE..... N.AV. DECOMPOSITION TEMPERATURE..... N.AV. N.AP. VISCOSITY.....

## **SECTION 10: STABILITY AND REACTIVITY**

REACTIVITY:.... HAZARDOUS POLYMERISATION WILL NOT OCCUR.

CHEMICAL STABILITY:.... STABLE.

POSSIBILITY OF HAZARDOUS ....... MAY CORRODE FERROUS METALS AND MILD STEEL IN PRESENCE OF MOISTURE.

REACTIONS:

CONDITIONS TO AVOID...... TEMPERATURES OVER 760 °C. CONTACT WITH WATER FORMS SULPHURIC ACID.

INCOMPATIBLE MATERIALS:.... STRONG BASES. STRONG OXIDIZING AGENTS. ALKALIS. WATER-REACTIVE

MATERIALS SUCH AS OLEUM CAUSE EXOTHERMIC REACTIONS

HAZARDOUS PRODUCTS OF .....

AT TEMPERATURES ABOVE 760°C, SULFUR OXIDE GASES ARE RELEASED WHICH ARE TOXIC, CORROSIVE AND ARE OXIDIZERS. THE REMAINING RESIDUE IS DECOMPOSITION CAUSTIC. THE TRIOXIDE IS ALSO A FIRE HAZARD, OXIDES OF ALUMINUM.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

**INGREDIENTS** LC50 LD50

>9000 MG/KG (ORAL, RAT); >9000 MG/KG (ORAL, MOUSE) ALUMINUM SULFATE HYDRATE N.AV.

INFORMATION ON LIKELY ROUTES OF

CONTACT OR WHEN MOISTURE IS PRESENT. ALUMINUM IS VERY POORLY

ABSORBED THROUGH THE SKIN AND TOXIC EFFECTS WOULD NOT BE EXPECTED FOLLOWING SHORT-TERM SKIN CONTACT. PROLONGED AND REPEATED EXPOSURE TO DILUTE SOLUTIONS OFTEN CAUSES IRRITATION, REDNESS, PAIN

AND DRYING AND CRACKING OF THE SKIN.

SKIN ABSORPTION..... N.AV.

MAY IRRITATE OR BURN EYES. SIMILAR FOR THE AQUEOUS SOLUTION. THE DUST BECOMES ACIDIC FOLLOWING CONTACT WITH MOISTURE IN THE EYE AND MAY EYE CONTACT.....

# PRODUCT: NU-BLU CLARIFYING TABLETS (20 G. TABLET)

### **SECTION 11: TOXICOLOGICAL INFORMATION**

INGESTION..... MAY IRRITATE THE GASTROINTESTINAL TRACT AND CAUSE NAUSEA, VOMITING

AND PURGING. ACUTE EXPOSURE CAN CAUSE INCOORINATION, MUSCLE

CODE: PSP0022

SPASMS AND KIDNEY EFFECTS.

EFFECTS OF ACUTE EXPOSURE..... SEE ABOVE.

EFFECTS OF CHRONIC EXPOSURE...... SIGNS AND SYMPTOMS OF .....

**OVEREXPOSURE** 

N.AV.

ALUMINUM SULPHATE HAS BEEN SHOWN TO CAUSE LIVER, KIDNEY AND NERVOUS SYSTEM TOXICITY WHEN TESTED IN LABORATORY ANIMALS. REPEATED INGESTION MAY CAUSE PHOSPHATE DEFICIENCY, WHICH CAN WEAKEN BONES. ALUMINUM SULPHATE HAS BEEN SHOWN TO CAUSE AN

INCREASE IN CHROMOSOMAL BREAKS WHEN TESTED IN RAT SOMATIC CELLS IN VIVO AND TO INDUCE SISTER CHROMATID EXCHANGES, CHROMOSOMAL ABERRATIONS AND MICRONUCLEI IN HUMAN LEUKOCYTES UNDER IN VITRO CONDITIONS. SKIN IRRITATION MAY BE AGGRAVATED IN INDIVIDUALS WITH EXISTING SKIN LESIONS. BREATHING OF DUST MAY AGGRAVATE ACUTE OR CHRONIC ASTHMA AND CHRONIC PULMONARY DISEASE SUCH AS EMPHYSEMA

AND BRONCHITIS. NOT LISTED BY IARC OR ACGIH. CARCINOGENICITY OF MATERIAL......

TERATOGENICITY...... N.AV. N.AV. MUTAGENICITY..... 

SYNERGISTIC MATERIALS...... N.AV.

# **SECTION 12: ECOLOGICAL CONSIDERATIONS**

ECOTOXICITY..... N.AV. PERSISTENCE AND DEGRADATION...... N.AV. BIOACCUMULATIVE POTENTIAL..... N.AV. MOBILITY IN SOIL...... N.AV. OTHER ADVERSE EFFECTS..... N.AV.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

WASTE TREATMENT METHODS:...... DISPOSE IN ACCORDANCE WITH ALL APPLICABLE REGULATIONS.

# **SECTION 14: TRANSPORT INFORMATION**

UN NUMBER.....PROPER SHIPPING NAME..... ..... N.AP. N.AP.

TDG CLASSIFICATION..... NOT REGULATED.

PACKING GROUP..... N.AP. ENVIRONMENTAL HAZARDS ACCORDING N.AV.

TO THE INTERNATIONAL MARITIME DANGEROUS GOODS CODE AND THE UNITED NATIONS MODEL REGULATIONS: SPECIAL PRECAUTIONS IN CONNECTION N.AV. WITH TRANSPORT OR CONVEYANCE

EITHER WITHIN OR OUTSIDE THE

PREMISES:

### **SECTION 15: REGULATORY INFORMATION**

SAFETY, HEALTH AND ENVIRONMENTAL N.AV. REGULATIONS SPECIFIC TO THE PRODUCT:

# **SECTION 16: OTHER INFORMATION**

N.AV.=NOT AVAILABLE N.AP.=NOT APPLICABLE OTHER INFORMATION.....

THE DATA IN THIS MSDS RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN AND DOES NOT RELATE TO USE IN COMBINATION WITH

ANY OTHER MATERIAL OR IN ANY PROCESS. THIS DATA IS OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT AS PRODUCT SPECIFICATIONS. NO WARRANTY, EITHER EXPRESSED OR IMPLIED, IS HEREBY MADE. THE RECOMMENDED INDUSTRIAL HYGIENE AND SAFE HANDLING PROCEDURES ARE BELIEVED TO BE GENERALLY APPLICABLE. HOWEVER, EACH USER SHOULD REVIEW THESE RECOMMENDATIONS IN THE SPECIFIC CONTEXT OF THE

INTENDED USE AND DETERMINE WHETHER THET ARE APPROPRIATE.

**REGULATORY AFFAIRS** 

00010717 SAFETY DATA SHEET Page 5

CODE: PSP0022

PRODUCT: NU-BLU CLARIFYING TABLETS (20 G. TABLET)

**SECTION 16: OTHER INFORMATION** 

PREPARATION DATE...... JAN 1/2024