SAFETY DATA SHEET

MURSATT CHEMICALS LIMITED 11 REGALCREST COURT WOODBRIDGE, ONTARIO, CANADA, L4L 8P3 (905)-850-8444

PRODUCT: BROM-N-8 SUPER-TABS

SECTION 01: IDENTIFICATION

PRODUCT CODE PRODUCT IDENTIFIER OTHER MEANS OF IDENTIFICATION RECOMMENDED USE AND RESTRICTIONS ON USE	
SUPPLIER IDENTIFIER	MURSATT CHEMICALS LIMITED 11 REGALCREST COURT WOODBRIDGE, ONTARIO CANADA L4L 8P3

EMERGENCY PHONE NO..... CANUTEC (613)-996-6666.

SECTION 02: HAZARD IDENTIFICATION



HAZARD CLASSIFICATION	
SIGNAL WORD	DANGER.
HAZARD STATEMENT	H272 MAY INTENSIFY FIRE; OXIDIZER. H302 HARMFUL IF SWALLOWED. H314
	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.
PRECAUTIONARY STATEMENT	P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. – NO
	SMOKING. P220 KEEP/STORE AWAY FROM CLOTHING/COMBUSTIBLE MATERIALS.
	P221 TAKE ANY PRECAUTION TO AVOID MIXING WITH COMBUSTIBLES P270 DO
	NO EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT. P301+P312 IF
	SWALLOWED: CALL A POISON CENTER OR DOCTOR/PHYSICIAN IF YOU FEEL
	UNWELL, P301+P330+P331 IF SWALLOWED: RINSE MOUTH, DO NOT INDUCE
	VOMITING. P370+P378 IN CASE OF FIRE: USE ONLY WATER FOR EXTINCTION. P260 DO NOT BREATHE DUST/FUME/GAS/MIST/VAPOURS/SPRAY. P264 WASH SKIN
	THOROUGHLY AFTER HANDLING, P280 WEAR PROTECTIVE GLOVES/PROTECTIVE
	CLOTHING/EYE PROTECTION/FACE PROTECTION, P363 WASH CONTAMINATED
	CLOTHING BEFORE REUSE. P304+P340 IF INHALED: REMOVE VICTIM TO FRESH
	AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. P310
	IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN. P321 SPECIFIC
	TREATMENT (SEE SUPPLEMENTAL FIRST AID INSTRUCTIONS ON THE SAFETY
	DATA SHEET). P305+P351+P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR
	SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO.
	CONTINUE RINSING. P405 STORE LOCKED UP. P501 DISPOSE OF
	CONTENTS/CONTAINER TO APPROPRIATE WASTE SITE OR RECLAIMER IN
OTHER HAZARDS	ACCORDANCE WITH LOCAL AND NATIONAL REGULATIONS. NONE.
	NONE.

SECTION 03: COMPOSITION/INFORMATION ON INGREDIENTS

CAS #

WT. %

96

HAZARDOUS INGREDIENTS

1-BROMO-3-CHLORO-5,5-DIMETHYLIMIDAZOLIDINE-2,4-DIONE 16079-88-2

SECTION 04: FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES:

EYE CONTACT	IMMEDIATELY FLUSH WITH PLENTY OF WATER. AFTER INITIAL FLUSHING,
	REMOVE ANY CONTACT LENSES AND CONTINUE FLUSHING FOR AT LEAST 15
	MINUTES. KEEP EYE WIDE OPEN WHILE RINSING. IF SYMPTOMS PERSIST, CALL A
	PHYSICIAN.
SKIN CONTACT	REMOVE CONTAMINATED CLOTHING AND SHOES. RINSE IMMEDIATELY WITH
	PLENTY OF WATER FOR AT LEAST 15 MINUTES. CALL A PHYSICIAN OR POISON
	CONTROL CENTRE IMMEDIATELY.

CODE: MUR0019

PRODUCT: BROM-N-8 SUPER-TABS

CODE: MUR0019

SECTION 04: FIRST AID MEASURES

INHALATION	REMOVE TO FRESH AIR. IF BREATHING IS IRREGULAR OR STOPPED, ADMINISTER ARTIFICIAL RESPIRATION, AVOID DIRECT CONTACT WITH SKIN, USE BARRIER TO	
INGESTION	GIVE MOUTH-TO-MOUTH RESUSCITATION. CALL A PHYSICIAN. CALL A PHYSICIAN IMMEDIATELY. DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. HAVE PERSON SIP A	
MOST IMPORTANT SYMPTOMS AND	GLASS OF WATER IF ABLE TO SWALLOW.	
EFFECTS, ACUTE OR DELAYED:	NOTE TO PHYSICIANS: TREAT SYMPTOMATICALLY, PROBABLE MUCOSAL	
ATTENTION AND SPECIAL TREATMENT NEEDED	DAMAGE MAY CONTRAINDICATE THE USE OF GASTRIC LAVAGE.	
SECTION 05: FIRE FIGHTING MEASURES		

SUITABLE EXTINGUISHING MEDIA....... UNSUITABLE EXTINGUISHING MEDIA...... SPECIAL HAZARDS ARISING FROM THE PRODUCT: HAZARDOUS COMBUSTION PRODUCTS. SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS: HAZARDOUS COMBUSTION PRODUCTS.

SECTION 06: ACCIDENTAL RELEASE MEASURES

PROTECTIVE GEAR.

PERSONAL PRECAUTIONS	EQUIPMENT AS REQUIRED. ENSURE ADEQUATE VENTILATION, ESPECIALLY IN
ENVIRONMENTAL PRECAUTIONS	,,
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	SPILL WITH PLASTIC SHEET OR TARP TO MINIMIZE SPREADING AND KEEP POWDER DRY. DO NOT ADD WATER TO SPILLED MATERIAL. USING CLEAN DEDICATED EQUIPMENT, SWEEP AND SCOOP ALL SPILLED MATERIAL, CONTAMINATED SOIL, AND OTHER CONTAMINATED MATERIAL AND PLACE INTO CLEAN DRY CONTAINERS FOR DISPOSAL. DO NOT CLOSE CONTAINERS CONTAINING WET OR DAMP MATERIAL. THEY SHOULD BE LEFT OPEN TO DISPERSE ANY HAZARDOUS GASES THAT MAY FORM. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. COVER POWDER SPILL WITH PLASTIC SHEET OR TARP TO MINIMIZE SPREADING AND KEEP POWDER DRY.TAKE UP MECHANICALLY, PLACING IN APPROPRIATE CONTAINERS FOR DISPOSAL. AVOID CREATING DUST CLEAN CONTAMINATED SURFACE THOROUGHLY. PICK UP AND TRANSFER TO PROPERLY LABELED CONTAINERS. SWEEP UP AND SHOVEL INTO
	SUITABLE CONTAINERS FOR DISPOSAL. AFTER CLEANING, FLUSH AWAY TRACES WITH WATER. DO NOT USE FLOOR SWEEPING COMPOUNDS TO CLEAN UP SPILLS. DO NOT TRANSPORT WET OR DAMP MATERIAL.

SECTION 07: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:	AVOID CONTACT WITH SKIN, EYES OR CLOTHING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. WASH CONTAMINATED CLOTHING BEFORE REUSE. DO NOT BREATHE DUST/FUME/GAS/MIST/VAPORS/SPRAY. DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT. USE WITH LOCAL EXHAUST VENTILATION. DO NOT MIX WITH OTHER CHEMICALS. KEEP/STORE AWAY FROM CLOTHING/ COMBUSTIBLE MATERIALS. WASH THOROUGHLY AFTER HANDLING. USE ONLY IN
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY IMCOMPATIBILITES:	WELL-VENTILATED AREAS. KEEP OUT OF THE REACH OF CHILDREN. KEEP CONTAINERS TIGHTLY CLOSED IN A COOL,WELL-VENTILATED PLACE. KEEP IN A DRY PLACE. KEEP IN PROPERLY LABELED CONTAINERS.

SECTION 08: EXPOSURE CONTROLS AND PERSONAL PROTECTION

	ACGIH TLV	OSHA PEL	NIOSH
INGREDIENTS	TWA STEL	PEL STEL	REL

PRODUCT: BROM-N-8 SUPER-TABS

CODE: MUR0019

SECTION 08: EXPOSURE CONTROLS AND PERSONAL PROTECTION OSHA PEL ACGIH TLV NIOSH INGREDIENTS TWA STEL PEL STEL REL 1-BROMO-3-CHLORO-5, N.AV. N.AV. N.AV. N.AV. N.AV. 5-DIMETHYLIMIDAZOLID INE-2,4-DIONE APPROPRIATE ENGINEERING CONTROLS USE WITH ADEQUATE VENTILATION. LOCAL EXHAUST AS NEEDED. INDIVIDUAL PROTECTION MEASURE SUCH AS PERSONAL PROTECTIVE EQUIPMENTS: HAND PROTECTION...... WEAR PROTECTIVE GLOVES. RESPIRATORY PROTECTION..... IF EXPOSURE LIMITS ARE EXCEEDED OR IRRITATION IS EXPERIENCED. NIOSH/MSHA APPROVED RESPIRATORY PROTECTION SHOULD BE WORN. POSITIVE-PRESSURE SUPPLIED AIR RESPIRATORS MAY BE REQUIRED FOR HIGH AIRBORNE CONTAMINANT CONCENTRATIONS. RESPIRATORY PROTECTION MUST **BE PROVIDED** WEAR SAFETY GLASSES WITH SIDE SHIELDS (OR GOGGLES). TIGHT SEALING EYE PROTECTION..... SAFETY GOGGLES PROTECTIVE CLOTHING..... PROTECTIVE CLOTHING PROTECTIVE FOOTWEAR..... PROTECTIVE FOOTWEAR. OTHER..... ENSURE THAT EYEWASH STATIONS AND SAFETY SHOWERS ARE CLOSE TO THE WORKSTATION LOCATION USE GOOD PERSONAL HYGIENE PRACTICES. WASH HANDS BEFORE EATING, HYGIENIC PRACTICES..... DRINKING, OR SMOKING, OR USING TOILET FACILITIES. PROMPTLY REMOVE CONTAMINATED CLOTHING AND WASH THOROUGHLY BEFORE REUSE.

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE COLOR ODOUR THRESHOLD PH FREEZING/MELTING POINT BOILING POINT FLASH POINT (C), METHOD EVAPORATION RATE FLAMMABILITY (SOLIDS AND GASES) UPPER FLAMMABLE LIMIT (% BY VOL.) LOWER FLAMMABLE LIMIT (% BY VOL.) LOWER FLAMMABLE LIMIT (% BY VOL.) VAPOUR PRESSURE (MMHG) VAPOUR DENSITY (AIR=1) RELATIVE DENSITY SOLUBILITY IN WATER (% W/W) COEFFICIENT OF WATER/OIL DIST AUTO IGNITION TEMPERATURE DECOMPOSITION TEMPERATURE VISCOSITY	SOLID (TABLETS). WHITE. CHLORINE, BROMINE. N.AV. 4.5 (0.1% SOLUTION IN DI WATER). 120 C (248 F). N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP. N.AP.
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY: CHEMICAL STABILITY: POSSIBILITY OF HAZARDOUS REACTIONS:	
CONDITIONS TO AVOID:	. EXTREMES OF TEMPERATURE AND DIRECT SUNLIGHT. PROTECT FROM MOISTURE. DO NOT MIX WITH OTHER CHEMICALS.
INCOMPATIBLE MATERIALS:	
HAZARDOUS PRODUCTS OF DECOMPOSITION	

SECTION 11: TOXICOLOGICAL INFORMATION

PRODUCT: BROM-N-8 SUPER-TABS

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS		LC50	LD50
1-BROMO-3-CHLORO-5,5-DIMETHYLIMIDAZ	DLIDINE-2,4-DIONE	N.AV.	578 MG/KG (ORAL, RAT); > 2000 MG/KG (DERMAL, RABBIT)
INFORMATION ON LIKELY ROUTES OF ENTRY: SKIN CONTACT EYE CONTACT INHALATION INGESTION EFFECTS OF ACUTE EXPOSURE EFFECTS OF CHRONIC EXPOSURE SIGNS AND SYMPTOMS OF OVEREXPOSURE CARCINOGENICITY OF MATERIAL TERATOGENICITY MUTAGENICITY REPRODUCTIVE EFFECTS SENSITIZING CAPABILITY OF MATERIAL	CAUSES BURNS. N.AV. RISK OF SERIOUS D. IRRITATING TO RESI HARMFUL IF SWALLO SEE ABOVE. NO INFORMATION A' CAS# 16079-88-2 - NO NO INFORMATION A' NO INFORMATION A' NO INFORMATION A'	AMAGE TO EYES. PIRATORY SYSTEM. OWED. VAILABLE. OT LISTED BY IARC. VAILABLE. VAILABLE. VAILABLE. VAILABLE.	
SYNERGISTIC MATERIALS NO INFORMATION AVAILABLE. SECTION 12: ECOLOGICAL CONSIDERATIONS			
ECOTOXICITY PERSISTENCE AND DEGRADATION BIOACCUMULATIVE POTENTIAL MOBILITY IN SOIL OTHER ADVERSE EFFECTS	N.AV. N.AV. N.AV. N.AV.		
SECTION 13: DISPOSAL CONSIDERATIONS			
WASTE TREATMENT METHODS:	DISPOSE IN ACCOR	DANCE WITH ALL APPLICABLE F	EGULATIONS.
SECTION 14: TRANSPORT INFORMATION			
UN NUMBER PROPER SHIPPING NAME	1479. OXIDIZING SOLID, N.	O.S. (BROMO-CHLORO-DIMETH	YLHYDANTOIN).

PROPER SHIPPING NAME	OXIDIZ
TDG CLASSIFICATION	5.1.
PACKING GROUP	III.
ENVIRONMENTAL HAZARDS ACCORDING	N.AV.
TO THE INTERNATIONAL MARITIME	
DANGEROUS GOODS CODE AND THE	
UNITED NATIONS MODEL REGULATIONS:	
SPECIAL PRECAUTIONS IN CONNECTION	N.AV.
WITH TRANSPORT OR CONVEYANCE	
EITHER WITHIN OR OUTSIDE THE	
PREMISES:	

SECTION 15: REGULATORY INFORMATION

SAFETY, HEALTH AND ENVIRONMENTAL N.AV. REGULATIONS SPECIFIC TO THE PRODUCT:

SECTION 16: OTHER INFORMATION

N.AV.=NOT AVAILABLE N.AP.=NOT APPLICABLE OTHER INFORMATION.....

THE DATA IN THIS MSDS RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN AND DOES NOT RELATE TO USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PROCESS. THIS DATA IS OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT AS PRODUCT SPECIFICATIONS. NO WARRANTY, EITHER EXPRESSED OR IMPLIED, IS HEREBY MADE. THE

CODE: MUR0019

CODE: MUR0019

Page 5

PRODUCT: BROM-N-8 SUPER-TABS

SECTION 16: OTHER INFORMATION

OTHER INFORMATION	RECOMMENDED INDUSTRIAL HYGIENE AND SAFE HANDLING PROCEDURES ARE BELIEVED TO BE GENERALLY APPLICABLE. HOWEVER, EACH USER SHOULD REVIEW THESE RECOMMENDATIONS IN THE SPECIFIC CONTEXT OF THE
PREPARED BY PREPARATION DATE	